

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050015755"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 11:24
S2	2	"5568644".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 11:25
S3	2	"5937190".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 11:26
S4	2	"5995736".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 11:26
S5	2	"6584601".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 11:27
S6	3	"7206732".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 11:27
S7	2	"20050005089"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 12:56

S8	2	"20050188140"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 12:56
S9	0	((("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (conver\$4 or transform\$4)) and (graph near S3 (generat\$3)) and (intermediate near3 graph) and ((description or "metadata") near3 generat\$4) and ("register" same (tree or structure)) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:05
S10	0	((("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (graph near3 (generat\$3))) and (intermediate near3 graph) and ((description or "metadata") near3 generat\$4) and ("register" same (tree or structure)) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:06

S11	0	((("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (graph near3 (generat\$3))) and (intermediate near3 graph) and ((description or "metedata") near3 generat\$4) and (register\$2 same (tree or structure)) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:07
S12	13	((("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (graph near3 (generat\$3))) and (intermediate) and ((description or "metedata") near3 generat\$4) and (register\$2 same (tree or structure)) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:07
S13	23	((("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (graph near3 (generat\$3))) and (register) and ((description or "metedata") near3 generat\$4) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:15

S14	23	((("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (graph near3 (generat\$3))) and (register) and node and ((description or "metadata") near3 generat\$4) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:16
S15	0	((("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (graph near3 (generat\$3))) and (register) and "condition management system" and ((description or "metadata") near3 generat\$4) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:18
S16	0	((("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (graph near3 (generat\$3))) and (register) and ("condition management system" or "CMS") and ((description or "metadata") near3 generat\$4) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:19
S17	8	"6877150"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:30

S18	0	"6877150.PN"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:31
S19	2	"6877150".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 14:31
S20	16	(US-20050015755-\$ or US-20050005089-\$ or US-20050188140-\$ or US-20030200515-\$). did. or (US-5568644-\$ or US-5937190-\$ or US-5995736-\$ or US- 6584601-\$ or US- 7206732-\$ or US- 7085670-\$ or US- 7024660-\$ or US- 6784903-\$ or US- 5920711-\$ or US- 6877150-\$ or US- 6728945-\$ or US- 6148436-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/04/15 10:01
S21	15	S20 and (descript\$4 or metadata) and (tree or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:02
S22	12	S20 and (descript\$4 or metadata) and (tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:02
S23	12	S20 and (descript\$4 or metadata) and (tree) and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:03

S24	39	((("hdl" or "hardware description language" or "verilog") same ((graph or tree) near3 (generat\$3))) and (register) and ((description or "metadata") near4 (graph or tree)) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 15:00
S25	39	((("hdl" or "hardware description language" or "verilog") same ((graph or tree) near3 (generat\$3))) and (register) and ((description or "metadata") near4 (graph or tree)) and register and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 15:02
S26	0	((("hdl" or "hardware description language" or "verilog") same ((graph or tree) near3 (generat\$3))) and (register) and ((description or "metadata") near4 (graph or tree)) and register and ("bit" near3 "offset") and (alarm) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 15:07

S27	13	((("hdl" or "hardware description language" or "verilog") same ((graph or tree) near3 (generat\$3))) and (register) and ((description or "metedata") near4 (graph or tree)) and register and "bit" and (interrupt) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 15:09
S28	21	(US-20050015755-\$ or US-20050005089-\$ or US-20050188140-\$ or US-20030200515-\$). did. or (US-5568644-\$ or US-5937190-\$ or US-5995736-\$ or US-6584601-\$ or US-7206732-\$ or US-7085670-\$ or US-7024660-\$ or US-6784903-\$ or US-5920711-\$ or US-6877150-\$ or US-6728945-\$ or US-6148436-\$ or US-6885983-\$ or US-6816825-\$ or US-6654715-\$ or US-6505328-\$ or US-5146583-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/04/16 16:45
S29	7	S28 and (intermediate and interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:46
S30	7	S28 and (intermediate and interrupt and register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:50

S31	1	S28 and (intermediate and interrupt and register and HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 17:29
S32	1	S28 and (HDL and HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:41
S33	70569	S28 "HTML"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:41
S34	1	S28 and "HTML"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:41
S35	1	S28 and ("HTML" or "Hyper Text Markup Language")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:42
S36	12	((("hdl" or "hardware description language" or "verilog") same ("graph" or "tree"))) and ("html" or "HyperText Markup Language") and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:44
S37	23	((("hdl" or "hardware description language" or "verilog") same ("html" or "Hyper Text Markup Language"))) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 19:57

S38	22	(US-20050015755-\$ or US-20050005089-\$ or US-20050188140-\$ or US-20030200515-\$). did. or (US-5568644-\$ or US-5937190-\$ or US-5995736-\$ or US-6584601-\$ or US-7206732-\$ or US-7085670-\$ or US-7024660-\$ or US-6784903-\$ or US-5920711-\$ or US-6877150-\$ or US-6728945-\$ or US-6148436-\$ or US-6885983-\$ or US-6816825-\$ or US-6654715-\$ or US-6505328-\$ or US-5146583-\$ or US-6760888-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/04/16 22:14
S39	2	S38 and ("HTML" or "HyperText markup language")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:15
S40	2	S38 and ("HTML" or "HyperText markup language" or "hyper text markup language")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:17
S41	2	S38 and ("HTML" or "HyperText Markup Language" or "hyper text markup language")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:18
S42	128	((("hdl" or "hardware description language" or "verilog") and ("graph" or "tree")) and ("html" or "HyperText Markup Language" or "Hyper Text Markup Language") and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:19

S43	17	((("hdl" or "hardware description language" or "verilog") and ("graph" or "tree")) and ("html" or "HyperText Markup Language" or "HyperText Markup Language") and 717/101-178.CCLS. and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:20
S44	77	((("hdl" or "hardware description language" or "verilog") and ("graph" or "tree")) and ("html" or "HyperText Markup Language" or "HyperText Markup Language") and (pars \$3) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:21
S45	10	((("hdl" or "hardware description language" or "verilog") same pars \$3) and ("graph" or "tree") and ("html" or "HyperText Markup Language" or "HyperText Markup Language") and (pars \$3) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:22
S46	0	((("hdl" or "hardware description language" or "verilog") and ("graph" or "tree")) and ("html" or "HyperText Markup Language" or "HyperText Markup Language").AB. and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:31

S47	8	(("hdl" or "hardware description language" or "verilog") and ("graph" or "tree")) and ("html" or "HyperText Markup Language" or "HyperText Markup Language") and ("hdl" or "hardware description language"). AB. and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 22:32
S48	7	S47 and (" C ")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 23:53
S49	23	(US-20050015755-\$ or US-20050005089-\$ or US-20050188140-\$ or US-20030200515-\$). did. or (US-5568644-\$ or US-5937190-\$ or US-5995736-\$ or US-6584601-\$ or US-7206732-\$ or US-7085670-\$ or US-7024660-\$ or US-6784903-\$ or US-5920711-\$ or US-6877150-\$ or US-6728945-\$ or US-6148436-\$ or US-6885983-\$ or US-6816825-\$ or US-6654715-\$ or US-6505328-\$ or US-5146583-\$ or US-6760888-\$ or US-6631508-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/04/17 00:32
S50	9	S49 and (hardware same tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 00:33

S51	17	S49 and (verilog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 00:39
S52	23	(US-20050015755-\$ or US-20050005089-\$ or US-20050188140-\$ or US-20030200515-\$). did. or (US-5568644-\$ or US-5937190-\$ or US-5995736-\$ or US- 6584601-\$ or US- 7206732-\$ or US- 7085670-\$ or US- 7024660-\$ or US- 6784903-\$ or US- 5920711-\$ or US- 6877150-\$ or US- 6728945-\$ or US- 6148436-\$ or US- 6885983-\$ or US- 6816825-\$ or US- 6654715-\$ or US- 6505328-\$ or US- 5146583-\$ or US- 6760888-\$ or US- 6631508-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/04/17 11:07
S53	6	S52 and (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 11:07
S54	306	((("hdl" or "hardware description language" or "verilog") same (pars\$3)) and (three) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 11:22
S55	28	((("hdl" or "hardware description language" or "verilog") same (pars\$3)) and (three near3 (times or passes)) and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 11:23

S56	20	S52 and (bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 13:01
S57	6	S52 and (bit and mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 13:25
S58	28	(US-20050015755-\$ or US-20050005089-\$ or US-20050188140-\$ or US-20030200515-\$ or US-20040225974-\$ or US-20040088691-\$ or US-20030188302-\$). did. or (US-5568644-\$ or US-5937190-\$ or US-5995736-\$ or US- 6584601-\$ or US- 7206732-\$ or US- 7085670-\$ or US- 7024660-\$ or US- 6784903-\$ or US- 5920711-\$ or US- 6877150-\$ or US- 6728945-\$ or US- 6148436-\$ or US- 6885983-\$ or US- 6816825-\$ or US- 6654715-\$ or US- 6505328-\$ or US- 5146583-\$ or US- 6760888-\$ or US- 6631508-\$ or US- 6609229-\$ or US- 7007249-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/04/17 14:12
S59	8	S58 and (real near2 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:12
S60	9	S58 and ("real-time" or "realtime" or "real time")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:13

S61	2	"5568644".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:17
S62	2	S60 and ("real-time" or "realtime" or "real time") and ("hdl" or "hardware description language").AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:24
S63	2	"6928629".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 14:27
S64	7	holmes-michael-A.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 15:50
S65	0	williams-gerald-s.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 15:52
S66	9	williams-gerald-s.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 15:52
S67	1	S66 and ("hdl" and pars\$3 and "HTML")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 15:53

S68	4	(("hdl" or "High-level Design Language" or "hardware description language" or "verilog") same (conver\$4 or transform\$4)) and (intermediate near3 graph) and 717/101-161.CCLS. and (@ad < "20030718" or @prad < "20030718" or @rlad < "20030718")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 15:33
-----	---	---	---	----	-----	---------------------

4/ 22/ 08 3:50:34 PM

C:\Documents and Settings\cchow\My Documents\EAST\Workspaces\10801792.wsp